

DATA SHEET

14PLUGIP68

CAT6A RJ45 PLUG SHIELDED IP68

BENEFITS

- IP68 protection level suitable to harsh environments: dustproof & waterproof
- Shielded ZAMAC 360°
- 1/4 turn waterproof lock
- Easy and quick to wire











DESCRIPTION / APPLICATIONS -

- RJ45 CAT6A plug suitable to harsh environments (industry, outdoor, ...)
- IP68 protection rating
- Tool less assembly and connexion
- Compliant to all standards required for structured cabling
- $\hbox{-}\, {\sf ZAMAC} \ shielding \ for \ mechanical \ resistance \ and \ electromagnetic \ interferences \ protection$
- Allows waterproofing flexible links connection such as patchcords up to AWG24

NORMS -

- Ethernet base T jusqu'à 10Gbits/s
- ISDN

- IEEE 802.3af/at/bt (PoE / PoE+/4pPoE)
- UL 1863

ENVIRONMENTAL PROPERTIES -

OPERATING TEMPERATURE:

-25°C à +50°C

CONFORM TO:

RoHS and REACH







DATA SHEET

ELECTRICAL PROPERTIES -

CURRENT:

1.5A

CONTACT RESISTANCE:

 $20m\Omega$

ISOLATION RESISTANCE:

500ΜΩ

DIELECTRIC WITHSTAND VOLTAGE:

1000Vac - 60Hz

MECHANICAL / TECHNICAL PROPERTIES

COATING:

Plastic ring: PA 66

Connector: Zn alloy+Nickel Plated

SHIELDING: Zamac

INSERTION CYCLE: 750 cycles

CONTACTS: Bronze, platine Ni+Au 1.2μm

INSERTION FORCE: 30N

AWG ADMISSIBLE: 22-26 solid

24-26 stranded


PERFORMANCES-


SYSTEM	
TIA 568-C.2 CAT6A	
ISO 11801 Ed3 Class Ea	
EN 50173-1	


APPLICATION

IEEE 802.3af/at/bt (PoE / PoE+/4pPoE)

DRAWINGS -















DATA SHEET

ORDER INFORMATION -

P/N	DESCRIPTION	PACKAGING
I4PLUGIP68	RJ45 CAT6A PLUG IP68	Unit

ASSOCIATED PRODUCTS -




I46AFSIP68CAT6A RJ45 connector shielded IP68



I4COUPL6AIP68CAT6A coupler shielded IP68



I4CAPPLUG Sealing cap for RJ45 plug



MMCP86MET
CRIMPING TOOL RJ11/RJ45 PLUG