Ed1 052018 RBA





Benefits

- Loading capacity 60Kg
- Flatpack mode :
 - Fast assembly < 10min
 - Easy wall mounting : 1 person

STRONG MECHANICAL STRUCTURE

- Steel cabinet frame 20/10
- Loading capacity 60Kg
- Reinforced bar from height 13U offering an excellent stability even in case of maximale charge

	 Simple roof equipped with perforation to offer a natural ventilation and pre cut entry to allow an easy cable entry Reinforced roof to avoid damages during transportation and storage
	 • 19" mounting, thickness 18/10, galvanized steel to ensure grounding continuity
	 Adjustable 19" front mountings
	19" rear mountings
	 Glassed front door (securit) equipped with 1 locking point
	 Full base equipped with pre cut part for an easy cable entry
	Wheels can be mounted on the base (no provided)
	 Side panel removable with 1/4 turn system (without key)

INNOVATIVE FLAT PACK

- Wall cabinet available with an innovative flat pack mode : must be fixed on the wall in order to be assembled
- · Cabinet assembly less than 10minutes by 1 person
- · Easy wall fixation











confidential, the CAE GROUPE. CAE GROUPE the document is and is property of own document must not be copied or changed in any form, wholly or in part without written AE GROUPE. The contents of this document must be disclosed to any other person copyright, and the do permission from CAE or persons. The characteristics related to this document are not contractual, and can be modified without warning..




Ed1 052018 RBA





DIMENSIONS



P/N	Н	Hu	L	Lu	Р	Pu	WEIGHT
WxC10P600	520	323	600	450	620	576	18.5 Kg
WxC13P600	655	456	600	450	620	376	20.2 Kg
WxC16P600	787	591	600	450	620	376	22.4 Kg
WxC22P600	1054	723	600	450	620	576	29.4 Kg

FLAT PACK DIMENSION

P/N	HEIGHT	WIDTH	DEPTH	WEIGHT
WUC10P600	220	650	650	19.6 Kg
WUC13P600	220	640	700	21.8 Kg
WUC16P600	270	820	630	24 Kg
WUC22P600	220	1090	630	29.5 Kg



This document is confidential, and is the property of CAE GROUPE. CAE GROUPE own the copyright, and the document must not be copied or changed in any form, wholly or in part without written permission from CAE GROUPE. The contents of this document must be disclosed to any other person or persons. The characteristics related to this document are not contractual, and can be modified without warning.





RELATED PRODUCT

49PM1U250G 19" modem plate 1U depth 250mm Accessories WMCWHEEL Wheels for MMC wall cabinet Ventilators WMC1V	Shelf			
Wheels WMCWHEEL Wheels for MMC wall cabinet			49PM1U250G	19" modem plate 1U depth 250mm
	Accessories			
Ventilators WMC1V Bloc 1 ventilator for MMC wall exhibit		Wheels	WMCWHEEL	Wheels for MMC wall cabinet
Ventilators Willow Dioc i Ventilator for Millow wai cabillet		Ventilators	WMC1V	Bloc 1 ventilator for MMC wall cabinet
WMC2V Bloc 2 ventilators for MMC wall cabinet			WMC2V	Bloc 2 ventilators for MMC wall cabinet

ORDERING INFORMATION

P/N	DESCRIPTION	PACKING	DIMENSION	WEIGHT
WMC10P600	19" Wall Mounted Cabinet 10U depth 600	Unit mounted	600x387x620 (WxHxD)	19.6 Kg
WUC10P600	19" Wall Unmounted Cabinet 10U depth 600	Unit flat pack	650x220x650 (WxHxD)	19.6 Kg
WMC13P600	19" Wall Mounted Cabinet 13U depth 600	Unit mounted	600x520x620 (WxHxD)	21.8 Kg
WUC13P600	19" Wall Unmounted Cabinet 13U depth 600	Unit flat pack	640x220x700 (WxHxD)	21.3 Kg
WMC16P600	19" Wall Mounted Cabinet 16U depth 600	Unit mounted	600x787x620 (WxHxD)	24 Kg
WUC16P600	19" Wall Unmounted Cabinet 16U depth 600	Unit flat pack	630x270x820 (WxHxD)	23.5 Kg
WMC22P600	19" Wall Mounted Cabinet 22U depth 600	Unit mounted	600x1054x620 (WxHxD)	29.5 Kg
WUC22P600	19" Wall Unmounted Cabinet 22U depth 600	Unit flat pack	1090x220x630 (WxHxD)	30.8 Kg



This document is confidential, and is the property of CAE GROUPE. CAE GROUPE own the copyright, and the document must not be copied or changed in any form, wholly or in part without written permission from CAE GROUPE. The contents of this document must be disclosed to any other person or persons. The characteristics related to this document are not contractual, and can be modified without warning.